



# Website Security User Guide

Version 3.0



## Contents

	0.	Document History	. 3
1.	Intro	oduction	. 4
	1.1.	Navigation	. 5
2.	Set	Protection	. 6
	2.1.	Set Protection	. 6
3.	Арр	vilication version changes	10

# 0. Document History

Version	Status	Date	Reason	Updated by
3.0	Draft	14-Sep-2010	New application version release	Andreea Radulescu

## 1. Introduction

Website Security function allows you to set up an authorization list in order to restrict parts of your website. This list will restrict browser access to specific website directories.

Access to restricted areas of the website can be granted with a username/password combination or by hostname/IP address.

To launch "Website Security" take the following steps:

- 1. Log into the Control Panel
- 2. Select "Websiteos Applications" from the main menu
- 3. Click on the Website Security icon located in the sub-menu; the Website Security welcome screen will display:



4. To launch Website Security, click "Start." The application will open in a new window:

Support Feedback

Set Protection



ease select a directory.	
.store cgi-bin esmdownload logs private public secure secure-cgi-bin	

## 1.1. Navigation

There is only one way to navigate within Website Security. You may navigate using the Main Menu.

### 1.1.1. Main Menu

The main menu is located on the top right corner of Website Security:

- Set Protection: allows you to restrict access to certain sections of your website
- Support: opens online help files for Website Security in a new window
- Feedback: allows you to send feedback concerning Website Security

## 2. Set Protection

In this section you will be able to restrict the access to certain sections of your website, create and manage a list of users who will have access to the protected section(s).

### 2.1. Set Protection

1. Click the "Start" button on the welcome page. The following page will display:

ebsiteSecurity 🕐	Support	Feed
Vith the Website Security tool you can restrict the access to certain sections of your website, create and manage a list of users who will have access to the section.	Set protected	Protec
Please select a directory.		
/.store /cgi-bin /esdownlead /logs /private /public /secure /secure-cgi-bin		2
E	lit Directo	Ŋ

- 2. Select a directory that you want to modify
- 3. Click on "Edit Directory" button on the bottom of the page. The following page will display:

ebsiteSecurity 🕐	Copport	Feedb
	Set Pr	otecti
With the Website Security tool you can restrict the access to certain sec section.	ctions of your website, create and manage a list of users who will have access to the protected	
Please select a directory.		
/.store /cgi-bin /esmdownload /logs /private	<u>8</u>	
/secure-cql-bin		
	Edit Directory	
Set Username and Password User: Password:	Service is currently Disabled	
Confirm Password: Add User		

### 2.1.1 Add User

- 1. Enter a user in the "User" field
- 2. Enter a password into the "Password" field
- 3. Re-enter the password into the "Confirm Password" field
- 4. Click "Add User" the new user will be created and the following section (Delete User) will display:

ebsiteSecurity 🕐	Support	Feed
	Set	Protec
/ith the Website Security tool you can restrict the access to cert ection.	ain sections of your website, create and manage a list of users who will have access to the protected	
Please select a directory.		
/.store /cgi_bin /semdownload /logs /private /public		
/secure /secure-cgi-bin		
		a
	Edit Directory	
	Service is currently Enabled	
Set Username and Password	Advanced Settings	
Password:		
Confirm Password:		
Add User		
Delete User from list. tester		
	Cancel Apply	

#### 2.1.2 Delete User

- 1. Select a user from the drop down menu
- 2. Click on "Delete User" button. The selected user will be deleted and this section will disappear from the page.

#### 2.1.3 Enable security settings

In order to enable the security settings for the selected directory select "enable "from the drop down menu.

### 2.1.4 Advanced Settings

1. Check off the checkbox next to "Advanced Settings". The following section will display within the same page:

	Support	Feed
ebsiteSecurity	Set	Protec
With the Website Security teel you can restrict the access to earthin s	antions of your website, create and manage a list of years who will have access to the protocol	FIOLOG
section.	recultos of your websile, create and manage a nacio users who will have access to the protected	
Disass spirat a fermion		
mease select a directory,		-1
/.store /cgi-bin /esmdownload		
/logs /private		
/public /secure /secure-cdi-bin		
	Edit Directory	
	Service is currently Enabled	
Set Username and Password User:	Advance# Settings 🔽	
Password:	Set Prompt:	
Confirm Password:	Restrict access by hostname or IP address	
Add User	Add new Site or IP	
Delete User from list: tester	Add	
Delete User		
Survey of the		
	Cancel Apply	

- 2. If you would like to set a prompt enter it into the "Set prompt" field
- If you would like to restrict access by hostname or IP address, enter a new site or IP into the "Add new Site or IP" field. You can restrict access to a directory by hostname or IP address. Before entering a hostname or IP address, ensure that the enable option is set.
- 4. Click on "Add" button. The prompt and the IP entered will be added
- 5. Click "Apply" to activate the protection settings
  - a. Click "Cancel" to dismiss any changes made

## 3. Application version changes

Website Security 3.0 does not contain new functionality compared to Website Security 2.0. The changes in the new version of this application pertain to GUI changes.

The new version has been incorporated into the accord framework. The look and feel of this new version has been modified but all functionality found in version 2.0 remains the same in this new version. The screenshots within this document illustrate the GUI changes.

	New functionality	Accord framework
Website Security 3.0	NO	YES

### << DOCUMENT END >>